

PATENT COOPERAT 'N TREATY

From the INTERNATIONAL BUREAU

PCT

and the state of the same of the contraction of the same of the contraction of the same of the contraction of the same of the

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

Assistant Commissioner for Patents United States Patent and Trademark Office **Box PCT** Washington, D.C.20231 **ETATS-UNIS D'AMERIQUE**

Date of mailing (day/month/year) in its capacity as elected Office 06 June 2000 (06.06.00) Applicant's or agent's file reference International application No. 98023-WO PCT/DK99/00501 Priority date (day/month/year) International filing date (day/month/year) 23 September 1998 (23.09.98) 23 September 1999 (23.09.99) **Applicant** HANSEN, Henrik, Christian et al

1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	10 April 2000 (10.04.00)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Nestor Santesso

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

- 1 NOV. 1999

From the INTERNATIONAL BUREAU 60/9-2

PCT

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

To:

NILAUSEN, Kim Colopiast A/S Patent Dept. Holtedam 1 DK-3050 Humlebaek DANEMARK

IMPORTANT NOTIFICATION
filing date (day/month/year) stember 1999 (23.09.99)
(day/month/year) otember 1998 (23.09.98)

- The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the international Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date Priority application No. Country or regional Office or PCT receiving Office or PCT receiving Office

23 Sept 1998 (23.09.98) PA 1998 01196 DK 13 Octo 1999 (13.10.99)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Taïeb Akremi

MA

Facsimile No. (41-22) 740.14.35 Telephone No. (41-22) 338.83.38

REQUEST

For receiving Office use only	
International Application No.	
International Filing Date	_
Name of receiving Office and "PCT International Application"	

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty. Applicant's or agent's file reference (if desired) (12 characters maximum) 98023-WO Box No. I TITLE OF INVENTION Catheter set APPLICANT Box No. II Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is also inventor. Telephone No. Coloplast A/S +45 49 11 11 11 Holtedam 1 Facsimile No. DK-3050 Humlebaek +45 49 11 15 55 Denmark Teleprinter No. 41.175 cinter State (that is, country) of nationality: State (that is, country) of residence: the States indicated in the Supplementa! Box the United States of America only all designated States except the United States of America all designated States This person is applicant for the purposes of: FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Box No. III Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only HANSEN, Henrik Christian. applicant and inventor Smedebakken 24 DK-2990 Nivaa inventor only (If this check-box Denmark is marked, do not fill in below.) State (that is, country) of residence: State (that is, country) of nationality: DK the States indicated in the Supplemental Box the United States all designated States except the United States of America This person is applicant all designated of America only States for the purposes of: Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE The person identified below is hereby/has been appointed to act on behalf common representative agent of the applicant(s) before the competent International Authorities as: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) Telephone No. Name and address: +45 49 11 11 11 Coloplast A/S Facsimile No. Holtedam 1 DK-3050 Humlebaek +45 49 11 18 49 Denmark Teleprinter No. Att.: Mr. Kim Nilausen, Patent Department 41.175 cinter Adress for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

ontinuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) INVENTORS					
If none of the following sub-boxes is used, this sheet should not be included in the request.					
Name and address: (Family name followed by given name; for a legal entitle address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State	ty, full official designation. he address indicated in this hence is indicated below.) This person is: applicant only applicant and inventor inventor only (If this check-box				
State (that is, country) of nationality:	is marked, do not fill in below.) State (that is, country) of residence:				
UK	DK				
This person is applicant for the purposes of: all designated the United States all designated the United States	States except the United States of America only the States indicated in the Supplemental Box				
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country of Box is the applicant's State (that is, country) of residence if no State of re	tity, full official designation. the address indicated in this idence is indicated below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (that is, country) of nationality: DK	State (that is, country) of residence: DK				
This person is applicant for the purposes of: all designated the United St	A States except ates of America I States except of America only The United States indicated in the Supplemental Box				
Name and address: (Family name followed by given name; for a legal e The address must include postal code and name of country. The country of Box is the applicant's State (that is, country) of residence if no State of re	ntity, full official designation. If the address indicated in this sidence is indicated below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (that is, country) of nationality:	State (that is, country) of residence:				
This person is applicant all designated all designated for the purposes of:	ed States except States of America only the States indicated in the Supplemental Box				
Name and address: (Family name followed by given name; for a legal The address must include postal code and name of country. The country Box is the applicant's State (that is, country) of residence if no State of r	entity, full official designation. of the address indicated in this esidence is indicated below.) This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)				
State (that is, country) of nationality:	State (that is, country) of residence:				
This person is applicant for the purposes of: all designated all designated the United	the United States except the United States the States indicated in the Supplemental Box				
Further applicants and/or (further) inventors are indicated on another continuation sheet.					

Box N	Rox No.V. DESIGNATION OF STATES							
	The following designations are Hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):							
Region	Regional Patent							
X	UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PC1							
X	Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Furasian Patent Convention and of the PCT							
X		uropean Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, K Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, IC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European atent Convention and of the PCT						
X	The state of the s							
Nation	al Pate	nt (if other kind of protection or treatment desired, specify of	n dott	ed line	e).			
. —		United Arab Emirates	図		Liberia			
[X]		Albania	区		Lesotho			
×			=					
X	AIVI	Armenia Austria and Utility Model	X		Lithuania			
N N			X		Luxembourg			
×		Australia	図		Latvia			
×		Azerbaijan	X		Republic of Moldova			
\mathbf{x}	BA	Bosnia and Herzegovina	X		Madagascar			
\boxtimes		Barbados	X	MK	The former Yugoslav Republic of Macedonia			
X	BG	Bulgaria						
X	BR	Brazil	X	MN	Mongolia			
×	BY	Belarus	図	MW	/ Malawi			
X	CA	Canada	X	MX	Mexico			
X		and LI Switzerland and Liechtenstein	M		Norway			
X		China	X		New Zealand			
		Cuba			Poland			
	C7	Czech Republic and Utility Model			Portugal			
X	CZ	Germany and Utility Model	X					
X	DE	Denmark and Utility Model			Romania			
	DK	Estonia and Utility Model	×		Russian Federation			
			X		Sudan			
×	ES	Spain	X		Sweden			
	FI	Finland and Utility Model	X	SG	Singapore			
		United Kingdom	X	SI	Slovenia			
X	GI) Grenada	X	SK	Slovakia and Utility Model			
l 🗵	GE	Georgia	×	SL	Sierra Leone			
×	GI	I Ghana	\square	TJ	Tajikistan			
×	G	/I Gambia	図	TM	1 Turkmenistan			
		Croatia	Ø		Turkey			
		J Hungary	図	TT				
I E			X		Ukraine			
X	_	_	X		G Uganda			
	_		KI KI		United States of America			
	_		لما	US				
1 =			ভো	715				
	_	•	X		Z Uzbekistan			
[2		•	X					
[2		G Kyrgyzstan	N.					
12	y K	P Democratic People's Republic of Korea	X	Z				
			X					
		R Republic of Korea	ÇI	heck-	boxes reserved for designating States which have			
] <u>[</u>	7 K	Z Kazakhstan	ре	come	party to the PCT after issuance of this sheet:			
6	J L	C Saint Lucia						
	g r	K Sri Lanka]				

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn bythe applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

		:	Sheet No. 4.		
Box No. VI PRIORITY CI	LAIM		Further price	ority claims are indicated i	in the Supplemental Box.
Filing date		Number		Where earlier application	on is:
of earlier application (day/month/year)	of earli	er application	national application: country	regional application:* regional Office	international application: receiving Office
item(1) (23.09.98)					
23 September 1998	PA 19	98 01196	DK		
item (2)	-				
item (3)					
The receiving Office is required of the earlier application (spurposes of the present int	31 IU/114 V 11 1	nie eui nei uppi	ismit to the International Bulication was filed with the the receiving Office) identified	Office which for the	
* Where the earlier application is Convention for the Protection of Is					
Box No. VII INTERNATIO	NALSEA	RCHINGAU	THORITY		
Choice of International Search (if two or more International Sea competent to carry out the international Authority chosen; the two-lette	arching Aut ational seas	horities are se rch, indicate v be used): D	equest to use results of ea arch has been carried out by ate (day/month/year) November 1998	or requested from the Interi	to that search (if an earlier national Searching Authority): Country (or regional Office)
ISA / SE					UK
Box No. VIII CHECK LIST					
This international application of the following number of sheet	ontains ts:	This internation	onal application is accompa culation sheet	nied by the item(s) marke	ed below:
request :	4	2. separate	e signed power of attorney		
description (excluding sequence listing part) :	10	3. copy of	general power of attorney;		y:
claims :	2	-	ent explaining lack of signa		
abstract :	1	. — -	document(s) identified in		
drawings :	4		ion of international applica		
sequence listing part of description :		— -	e indications concerning de tide and/or amino acid sequ	-	
Total number of sheets:	21	-	specify): Copy of ITS Repo		
Figure of the drawings which should accompany the abstract			Language of filing of the nternational application:	English	
Box No. IX SIGNATURE		 _	GENT		
Next to each signature, indicate the n				signs (if such capacity is not ob	bvious from reading the request).
Coloplast A/S	h				
PEDERSEN, Jens Kristi	an Deve	lopment Mar	nager HANSEN, H	Henrik Christian	
Allan To		ply	· No	ich Ho	nlyf
TANGHOEJ, Allan	7		HORSBOE	<u> </u>	
Date of actual receipt of the international application:	e purporte		r receiving Office use only		2. Drawings:
Corrected date of actual re timely received papers or the purported international	drawings c	ompleting			received:
Date of timely receipt of the corrections under PCT Art	ne required	i		<u> </u>	not received:
5. International Searching Au (if two or more are compet	ithority ent):	SA /	6. Transm until sea	ittal of search copy delaye arch fee is paid.	ed
Date of receipt of the record by the International Bureau:	сору	For I	nternational Bureau use onl	у	

Form PCT/RO/101 (last sheet) (July 1998; ; reprint July 1999)

See Notes to the request form



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's o	r agent's file reference		See Notification of Transmittal of International
J.		FOR FURTHER ACTION	Preliminary Examination Report (Form PCT/IPEA/416)
International	application No.	International filing date (day/mon	th/year) Priority date (day/month/year)
PCT/DK99	9/00501	23/09/1999	23/09/1998
International A61M25/0		national classification and IPC	
Applicant			
COLOPLA	AST A/S et al.		
	ternational preliminary exa transmitted to the applican		ed by this International Preliminary Examining Authority
2. This R	EPORT consists of a total	of 6 sheets, including this cover	sheet.
be (se	en amended and are the b	asis for this report and/or sheets 607 of the Administrative Instruc	he description, claims and/or drawings which have containing rectifications made before this Authority tions under the PCT).
71.000			
3. This re	 ☒ Basis of the report ☐ Priority ☐ Non-establishment o ☐ Lack of unity of inver ☒ Reasoned statement citations and explana ☐ Certain documents o ☒ Certain defects in the 	ntion under Article 35(2) with regard t ations suporting such statement	nventive step and industrial applicability o novelty, inventive step or industrial applicability;
Date of sub	nission of the demand	. Date	of completion of this report
10/04/200	00	07.12	2000
	nailing address of the internation of the internati	Schi	eßl, W

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/DK99/00501

l. Baş	is of	the	rep	ort
--------	-------	-----	-----	-----

1.	This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments (Rules 70.16 and 70.17).): Description, pages:							
	1-10)	as originally filed					
	Clai	ms, No.:						
	7-9		as originally filed					
	1-6		with telefax of	24/11/2000				
	Dra	wings, sheets:						
	1/4-	4/4	as originally filed					
				·				
2.				marked above were available or furnished to this Authority in the n was filed, unless otherwise indicated under this item.				
	The	se elements were	available or furnished t	o this Authority in the following language: , which is:				
		the language of a	translation furnished for	or the purposes of the international search (under Rule 23.1(b)).				
		the language of p	ublication of the interna	itional application (under Rule 48.3(b)).				
		the language of a 55.2 and/or 55.3).		or the purposes of international preliminary examination (under Rule				
3.		-		acid sequence disclosed in the international application, the ried out on the basis of the sequence listing:				
		contained in the in	nternational application	in written form.				
		filed together with	the international appli	cation in computer readable form.				
		furnished subseq	uently to this Authority	n written form.				
		furnished subseq	uently to this Authority	in computer readable form.				
			at the subsequently fur application as filed has	nished written sequence listing does not go beyond the disclosure in been furnished.				
		The statement that listing has been for		ded in computer readable form is identical to the written sequence				
4.	The	e amendments hav	e resulted in the cance	llation of:				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/DK99/00501

		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):					
	eet containing such amendments must be referred to under item 1 and annexed to this						
6	Δda	ditional observations i	f necessary				

- 6. Additional observations, if necessary
- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N) Yes: Claims 2-4, 6, 9

No: Claims 1, 5, 7, 8

Inventive step (IS) Yes: Claims

No: Claims 1-9

Industrial applicability (IA) Yes: Claims 1-9

No: Claims

2. Citations and explanations see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Secti n V

- 1 Reference is made to the following documents (D) cited in the International Search Report:
 - D1: WO 97 / 26937 (ISRAELSSON ANETTE ET AL) 31July 1997
 - D2: WO 98 / 11932 (KAYEROD HELLE ET AL) 26 March 1998
 - D3: GB-A-2 284 764 (MCLEOD PATRICK) 21 June 1995
 - D4: US-A-5 147 341 (STARKE RICHARD ET AL) 15 September 1992
 - D5: US-A-2 856 932 (GRIFFITTS JAMES) 21 October 1958
- 2 Novelty (Article 33(2) PCT)
- 2.1 The present International Application does not meet the requirements of Article 33(2) PCT because the subject-matter of claim 1 is not new:

Document D5 discloses a catheter set (col. 3, II. 16 to col. 4, I. 47, figs. 1-5) comprising a catheter (2) and a package (10), wherein an elongated part of the package (neck 12; cf. also VIII, 1 below) forms a tube (fig. 2) for accommodation of the catheter, the catheter comprising a proximal part (portion of body 14 that in use extends from neck 12, fig. 4), a sealing part (an intermediate portion of body 14 in use located at a proximal portion of neck 12) for providing a seal between the catheter and the elongated part of the package during use (col. 3, II. 35-37) and a flexible tubular distal part (remaining distal portion of body 14 and rearward end 8; col. 1, II. 33-35; cf. VIII, 2) separated by the sealing part from the proximal part (fig. 4), the flexible distal part having an inner diameter at least as large as the inner diameter of the proximal part (col. 2, I. 38) and being long enough to occupy said elongated part of the package (fig. 4), and, therefore, all features of claim 1.

- 2.2 D3 and D4 also make known a catheter set according to claim 1 (D3: abstract, claim 1, fig. 2/3, part 5 extending into the package; D4: col. 3, ll. 5-7, fig. 10, part 22 extending into a narrow part of the package; cf. VIII, 2 below).
- 2.3 Dependent claims 5, 7, 8, do not contain any features which, in combination with

the features of any claim to which they refer, meet the requirements of the PCT in respect of novelty, since and D5 disclose further:

- a tubular distal part being made from an extrudable, moldable material as recited in claim 5 (col. 3, l. 16), and
- a package having an elongated narrow part and being provided with a sealing device on the exterior side of the package according to claims 7 and 8 (fig. 4, part 12, cf. VIII, 1; fig. 8).
- 3 Inventive step (Article 33(3) PCT)

The remaining dependent claims do not contain any features which, in combination with the features of any claim to which they refer, meet the requirements of the PCT in respect of inventive step, since D1 discloses

a set comprising a catheter with a hydrophilic coating (p. 10, l. 4) and wetting fluid integrated into the package as defined in claims 2 and 3 (p. 10, ll. 15-19),

and in that

- a tubular distal part having an inner diameter larger than that of the proximal part (claim 4) and being transversely corrugated (claim 6),
- a sealing device comprising an adhesive sheet (claim 9), are slight constructional changes which come within the scope of the customary practice followed by persons skilled in the art, especially as the advantages thus achieved can readily be foreseen (cf. p. 6, II. 1, 2, of present application and D5, col. 1, II. 48-52, fig. 8).

Section VII

All features of the claims should have been provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

Section VIII

The present international application does not meet the requirements of Article 6 PCT.

1 The "elongated part of the package" as defined in claim 1 includes elongated

FT

tubular portions of any length at the proximal end of the package including the seal between the catheter and said elongated part. Moreover, there appears to be some confusion in the application about the terms used for said part and, consequently, the length of the flexible tubular distal portion / section (cf. claims 1, 7, and page 7, II. 20-24, p. 8, II. 20-26).

- The term "flexible tubular section" used in claim 1 is interpreted to extend in one respect at least to conical plastic syringe connectors at the distal end of catheters, since any solid (plastic) material is flexible to some extent. In view of the description (p. 8, II. 18-29), it appears that on the other hand said tubular section should be at least **stiffer** than the package to improve the protection against kinking or squeezing thereof.
- The function of the sealing device specified in claim 8 should have been clarified (cf. p. 6, II. 18, 19, of the description) to avoid confusion with the sealing part as defined in claim 1.
- The statements in the description "inventive shape of the catheter .." (pp. 2, 4) and "sealing system according to the invention .." (p. 3), the omission of the sealing function of the sealing part in the embodiment on page 3, II. 14-22 do not correspond to the scope of claim 1. This inconsistency between the claims and the description leads to doubt concerning the matter for which protection is sought, thereby rendering the claims unclear.

CLAIMS

- 1. A catheter set comprising a catheter and a package for storing of the catheter before use and for collecting or discharging urine wherein an elongal ed part of the package forms a tube for accommodation of the catheter, the call heter comprises a proximal part to be inserted into the urethra and a sealing part for providing a seal between the catheter and the elongated part of the package during use, CHARACTERISED IN that the catheter further comprises a distail part in the form of a flexible tubular section (4) having an inner diameter at least as large as the inner diameter of the proximal part of the catheter wherein the sealing part is separating the proximal part of the catheter and the tubular distail part, and wherein the length of the flexible tubular distail part (4) is at least long enough to occupy the elongated part of the package.
 - 2. A catheter set according to claim 1, CHARACTERISED IN that the proximal part of the catheter has a hydrophilic coating.
- 15 3. A catheter set according to claim 1 or 2, CHARACTERISED IN that the set comprises a wetting fluid integrated into the package.
 - 4. A catheter set according to any of claims 1 3, CHARACTERISE) IN that the tubular distal part of the catheter has an inner diameter larger than the inner diameter of the proximal part of the catheter.
- 20 5. A catheter set according to any of claims 1 4, CHARACTERISE() IN that the tubular part is made from an extrudable, mouldable material such as a polyoletin such as polyethylene (PE) or polypropylene (PP) or a copolymer of polyethylene such as ethylene vinyl acetate (EVA) or polyvinyl chloride (PVC) or polyvinylidene chloride.
- 25 6. A catheter set according any of claims 1 5. CHARACTERISED IV that the tubular distal part of the catheter is transversely corrugated.



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: A61M 25/01

A1

(11) International Publication Number:

WO 00/16843

(43) International Publication Date:

30 March 2000 (30.03.00)

(21) International Application Number:

PCT/DK99/00501

(22) International Filing Date:

23 September 1999 (23.09.99)

(30) Priority Data:

PA 1998 01196

23 September 1998 (23.09.98) DK

(71) Applicant (for all designated States except US): COLOPLAST A/S [DK/DK]; Holtedam 1, DK-3050 Humlebaek (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HANSEN, Henrik, Christian [DK/DK]; Smedebakken 24, DK-2990 Nivaa (DK). TANGHOEJ, Allan [DK/DK]; Jelleroed Have 59, DK-2980 Kokkedal (DK). HORSBOEL, Niels [DK/DK]; Torvet 4D, st., DK-3400 Hilleroed (DK).

(74) Common Representative: COLOPLAST A/S; Nilausen, Kim, Patent Dept., Holtedam 1, DK-3050 Humlebaek (DK).

(81) Designated States: AE, AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: CATHETER SET

(57) Abstract

A catheter set comprising a catheter and a package for storing of the catheter before use and for collecting or discharging urine, wherein an alongated part of the package forms a tube and wherein the catheter has a proximal part to be inserted into the urethra, a distal part in the form of a tubular section having an inner diameter at least as large as the inner diameter of the part of the proximal part of the catheter and a sealing part separating the proximal part of the catheter and the tubular distal part. The inventive shape of the catheter combined with the shape of the package prevents a blocking of the free flow of urine from the urethra into the package.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	T.I	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	2	Simono we
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



TITLE

Catheter set.

FIELD OF THE INVENTION

The present invention relates to a catheter set comprising a catheter and a package for both storing of the catheter before use and for collecting or discharging urine.

BACKGROUND OF THE INVENTION

Urinary catheter sets comprising a catheter having a hydrophilic coating, a wetting receptacle and a wetting fluid are disclosed in WO publication No.

98/11932 (Coloplast A/S) and in WO publication no. 97/26937 (Astra Aktiebolag).

Both publications describe catheter sets comprising both a catheter and a package, and in both publications an elongated part of the package forms a tube and is used for leading urine either to the inside of the package for later disposal or to an exterior container e.g. a toilet bowl for immediate disposal.

- The use of such catheter sets is described by referring to figure 1 of WO 97/26937. First the proximal portion of the pocket 2 is torn off and the elongate shaft 18 of the catheter 3 is manoeuvred through the opening in the proximal end of the pocket 2 and into the urethra of the patient until a flared distal portion 16 forms a mechanical seal connection with the opening. Urine in the bladder of the patient is transported through the lumen of the catheter 3 into the urine collection chamber 12. After emptying the bladder the catheter 3 is manoeuvred back inside the bag 1 and the open end of the pocket 2 closed off for example by tying a knot with the material defining the pocket 2 or clamping the pocket with a clamp.
- A disadvantage with these catheter sets is that the mechanical seal connection between the flared distal portion of the catheter and the proximal part of the package does not always work properly and the result is that urine flows backward and out of the package, especially due to restriction of the flow from



the catheter into the receptacle due to folding, twisting or kinking of the elongate part of the device leading from the catheter to the receptacle..

GB 2031735 discloses a catheter set comprising a catheter within a package for collecting urine. So does GB 2284764, GB 2033231 and US 5147341. The rearward end of these catheters are either flared outwardly or provided with an arresting member to keep the catheter from leaving the package unintendedly. Non of these references provides an elongated part of the package to serve as a wetting receptacle for wetting the catheter.

US 2856932 discloses a catheter set comprising a catheter and a package

10 having an elongated part covering part of the catheter to assist insertion of the
catheter in a non-contaminating manner. At the rearward end of the catheter it is
flared outwardly to keep the catheter in place in relation to the package during
use. This shape of entrance into the package provides the same disadvantages
and risks of flow restriction as mentioned above due to possible occurrence of

15 twisting or kinking at the link between the elongated and the broader part of the
package. Furthermore a considerable length of the catheter is "inactivated" by
not being able to leave the elongated neck and such extra length would have to
be added to the catheter in addition to the necessary "active length" causing
considerable extra costs. For short catheters this extra length constitutes a

20 considerable part of the total length of the catheter.

The object of the invention is to solve this problem and provide a catheter set preventing the risk of spilling urine over cloth or surroundings when performing intermitting catherisation, especially when performed by the patient him-/herself, and at the same time to provide a catheter set which is simple and inexpensive to produce. It has surprisingly been found that the above drawbacks may be overcome using a catheter set according to the invention.

BRIEF DESCRIPTION OF THE INVENTION

The present invention relates to a catheter set comprising a catheter and a package for both storing of the catheter before use and for collecting or discharging urine. The inventive shape of the catheter combined with the shape



of the package prevents blocking of the free flow of urine from the urethra into the package during use by securing the relatively soft and pliable package from kinking or squeezing.

BRIEF DESCRIPTION OF THE DRAWINGS

- 5 The invention will be explained more in detail with reference to the accompanying drawings showing embodiments of the invention and in
 - Fig. 1 shows an embodiment of a catheter set according to the invention,
 - Fig. 2 shows the embodiment of Fig. 1 ready for use,
 - Fig. 3 shows another embodiment of a catheter set according to the invention,
- 10 Fig. 4 shows a sealing system according to the invention in an enlarged scale, and
 - Fig. 5 shows the embodiment of Fig. 3 in a sealed state.

DETAILED DESCRIPTION OF THE INVENTION

- The present invention relates to a catheter set comprising a catheter and a

 package for storing of the catheter before use and for collecting or discharging
 urine, wherein an elongated part of the package forms a tube for accommodating
 of the catheter. The catheter comprises a proximal part to be inserted into the
 urethra and a distal part in the form of a tubular section having an inner diameter
 at least as large as the inner diameter of the part of the proximal part of the
- 20 catheter, and a sealing part separating the proximal part of the catheter and the tubular distal part. The length of the tubular distal part is at least long enough to occupy the elongated part of the package.
 - The sealing part may e.g. be a part of the catheter having an increased diameter. Such a sealing part will also function as a stop preventing the catheter from
- 25 falling out of the package and, at the same time function as a seal during use preventing spilling of urine during catherisation.

The proximal part of the catheter will usually have an essentially uniform thickness of material as will the distal part.



It is very practical when the sealing part is separating the proximal part of the catheter and the tubular distal part as this provides safety against trying to insert the tubular part into the urethra and also ensures that the tubular part remains in the package for ensuring the free flow of urine into the package.

5 When in use, the distal tubular part of the catheter of the invention reaches into the upper part of the package and keeps the front and rear parts thereof apart and thus prevents a blocking of the free flow of urine from the urethra into the package. Thus the length of the tubular distal part of the catheter is at least as long as the length of the elongated part of the package. In the absence of the 10 tubular part, urine flowing through the catheter may meet an obstacle if for example the package is folded or squeezed and thus, the urine will fill up the upper part of the package and establish a back pressure on the sealing between the catheter and the package. When a tubular part of the catheter is inside the package as an extension of the catheter it thus prevents the flow of urine from 15 being disturbed in the upper part of the relatively soft package, and the flow of urine will be directed downwards until the package is full. The inner diameter of the tubular part of the catheter must be of at least of the same dimension as the proximal part of the in order not to hamper the free flow of urine from the bladder through the catheter and into the package. Thus the inventive shape of the 20 catheter in combination with the shape of the package prevents a blocking of the free flow of urine form urethra into the package.

The tubular part of the catheter may be a prolonged part of the catheter itself or a separate tubular piece which is connected to the catheter.

In a preferred embodiment of the invention the proximal part of the catheter has
a hydrophilic coating. A hydrophilic coating may be any hydrophilic coating
known per se for use for hydrophilic coated catheters and the coating may be
applied using any method known per se for applying a hydrophilic coating to a
catheter.

The catheter set according to the invention preferably comprises a wetting fluid integrated into the package in order to enable activation of a hydrophilic coating



irrespectively of the access to pure water. The wetting fluid may be sterilised water or saline.

The elongated shape of part of the package is especially useful when the catheter has a hydrophilic coating of the type needing activation by addition of wetting fluid. When the elongated part of the package accommodates the catheter - at least during the wetting process, but preferably already when package is produced and packed ready for sale - the amount of wetting fluid needed to ensure proper wetting is drastically reduced compared to the amount needed if wetting was to take place in the wider part of a package.

10 It is understood that the location of the catheter in the elongated part can take place already when the package is produced. But also the package can be produced with the catheter situated inside the broader part of the package in which situation the catheter is introduced into the elongated part of the package at any time prior to use to let the elongated part of the package accommodate the catheter.

In one embodiment of the invention the tubular distal part of the catheter has an inner diameter larger than the inner diameter of the proximal part of the catheter. Thus, no extra resistance against the flow will occur and, as the outer diameter thereof is consequently also greater, the transition between the two parts of the catheter may function as a stop and sealing.

The tubular part of a catheter is preferably made from an extrudable, mouldable material such as a polyolefin such as polyethylene (PE) or polypropylene (PP) or a copolymer of polyethylene such as ethylene vinyl acetate (EVA) or polyvinyl chloride (PVC) or polyvinylidene chloride or a polyurethane (PU) or a silicone. It is envisaged that the proximal and distal tubular part of the catheter and the sealing part may be produced as an integrated unit from the same material by a combination of injection moulding, extrusion and/or blowing.

It is preferred when the tubular distal part of the catheter is transversely corru-30 gated as this adds to the security against kinking. A suitable flexible and



transversely corrugated tube is known per se for preventing blocking by bending of the tube leading to urine collection bags.

In accordance with a preferred embodiment of the catheter set of the invention the package includes an elongated narrow part designed for accommodating the catheter at least during wetting of the catheter and for the exit of the catheter during use.

In this embodiment the tubular part of the catheter may e.g. be in the form of a telescopically extendible tube having a maximum diameter grater than the proximal part of the catheter. Alternatively the tubular part may be in the form of an extendible corrugated tubing resembling a corrugated straw which may be folded, compressed or stretched like an accordion. This embodiment can advantegeously be used when the urine is led directly to an exterior container e.g. a toilet bowl.

In accordance with another preferred embodiment the package also includes a broader container part for collecting the urine.

In accordance with yet another preferred embodiment of the invention the package is provided with one or more sealing devices on the exterior side of the package designed for holding and sealing the elongated end of the package after use. When using the package for collecting urine, it is possible to tie a knot on the elongated part after pushing the catheter into the package but this still leaves a small amount of urine in the outer part of the package which may be spilled onto the clothes which will be embarrassing for the user.

The sealing device is preferably in the form of an adhesive sheet adhered to the package. The sheet may typically comprise a sheet of a relatively soft and pliable material having an adhesive on the surface facing the outer side of the package and wherein a part of this surface is covered with a release liner which is adhered to the outer surface of the package. Thus, the sheet functions as a part of the surface of the package when not in use, and when used, the sheet is released from the release liner, which is then removed, ant the top of the bag is



preferably placed at the adhesive area and the sheet is placed at the adhesive area holding and sealing the end of the bag.

The sealing device of this embodiment securely closes and seals the opening of the package and furthermore, it enables a sealing by bending the top of the package and securing and sealing the same below a flap of an adhesive sheet adhered to the package the sealing device without having to push the catheter into the package which facilitates the sealing and provides a better security against spilling of urine.

The sheet may be of any suitable material e.g. the ones mentioned above. The
adhesive may be any suitable adhesive being compatible with the package
material and the sheet material. It is preferred when the adhesive exhibit some
moisture absorbing capability in order to ensure a secure sealing even if some
drops of urine are spilled when sealing the top of the package after use. An
moisture absorbing adhesive may be any such adhesive known per se for wound
or ostomy purposes, e.g. containing hydrocolloids.

A release liner may for instance be siliconized paper.

The package may be made from a water impervious layer or film of any suitable material known per se for use in the preparation of urine collection bags.

The length of the tubular part may vary according to the specific application. Of course, it should not be so long that it cannot be comprised in the bag. Even at small lengths of the tubular part an effect is obtained. In a preferred embodiment the tubular part has a length at least corresponding to the narrow upper part of the package.

DETAILED DESCRIPTION OF DRAWINGS

25 Reference is made to Fig. 1. The embodiment of the catheter set of the invention shown in Fig.1 comprises a catheter 1, a package 2 for collection of urine, a sealing part 3 and a flexible tubular part 4 connected to the catheter 1. The top of the package is easily torn off at 5 being a weak point for breaking the package. Furthermore, the package comprises another weak point 6 designed for opening



the package at the distal end, if desired, during use, if the package is to function as guide to e.g. a toilet bowl or after use if it is desired to empty the bag immediately. The package is shown with an ear 7 for an easy handling of the package during and after use. Furthermore, a container 8 is shown comprising a wetting fluid.

In Fig. 2 the embodiment of Fig. 1 is shown after opening the container and wetting the catheter and tearing off the top of the package and pushing the catheter until the stop engages with the bag ready for insertion. The insertion may, if desired, be performed concomitantly with the pushing out of the catheter.

Especially in the case where the catheter is of the hydrophilic coated type the catheter can be wetted to activate the hydrophilic coating prior to tearing off the top of the package at the weak point 5 and inserting the catheter into urethra. While accommodated in the elongated part of the package the catheter is thus surrounded by the wetting fluid of the container 8 after breaking off the tip of that container and holding the package so that the elongated part of the package points essentially downwards to ease the transportation of wetting fluid by gravity down into the elongated part of the package.

When the catheter is in use the urine flows in through the openings in the upper part - the proximal end - of the catheter 1 and enters the inside of the package 2 where it passes through the upper part which, in this embodiment, is in the form of a narrow portion as compared to the lower part of the package which is formed as a broader collection part. When the urine is passing the upper part of the package 2 it also passes the flexible tubular part 4 which is present inside this part of the package and secured to the catheter 1. The flexible tube 4 provides the package with a certain stiffness which prevents blocking of this part by kinking or squeezing of the relatively soft and pliable package 2. In the figure the flexible tube is shown as a smooth tube but it might as well have a corrugated surface. The most important features for the tube is that it has to be both bendable and in possession of a certain stiffness.



When the user has finished the use of the catheter he can either throw the used catheter and the filled or urine contaminated package away immediately or he can close the package and transport it to the nearest convenient waste container if there are not any present at the facility.

5 The user might experience a problem trying to close the package of the catheter set according to the invention as it is difficult to force the catheter down into the lower part of the package especially when the user has reduced motility of the hands, and when the catheter is still present in the narrow part of the package it is almost impossible for the user to tie a liquid-tight knot on the narrow part as recommended in the instructions for use of Convene EasiCath Set from Coloplast A/S.

Reference is made to fig. 3 showing an embodiment of the package of the invention having a sealing device at the exterior side of the package. In order to solve the above problem and render it easier for the user to transport a filled

15 package it is preferred to use a different kind of closing system as e.g. a system where the upper end of the catheter set package is closed with a piece of gummed tape or tied together by extra added parts.

A very effective sealing device comprises three pieces of film or paper and is illustrated in figures 3 - 5. Figure 4 shows how the three pieces are arranged in connection with each other: an upper piece 11, a middle piece 12 and a lower piece 13. The upper piece is non-adhesive on the outer surface and adhesive on the surface facing the package, one end of this piece is adhered to the package and the other end is adhered to the middle piece 12. The middle piece 12 is non-adhesive on both surfaces and both surfaces are made of a material which makes it possible to release it from adhesive surfaces without spoiling the adhesiveness. The middle piece 12 is preferably considerably larger than the one end of the upper piece 11 it is covering as this makes it easier to grab and remove the middle piece 12 from the package. The middle piece may e.g. be made from siliconised paper. The surface of the middle piece facing 12 away from the upper piece 11 is facing the lower piece 13. The lower piece 13 is



adhesive on both surfaces, one surface secure the lower piece 13 to the package and the other surface secure the lower piece 13 to the middle piece 12.

Before the closing device is used for securing and sealing the proximal end of the catheter set, the three pieces are placed on the front or the backside of the package, they are all three releasably glued together as each of them get contact with at least one adhesive surface. When the user need to close the package he pulls the middle piece 12 and the upper end of the upper piece 11 backwards, by this action the middle piece 12 is released from the lower piece 13 (only the movement of the upper piece 11 is indicated in the figure). After the user has remove the middle piece 12 from the upper piece 11, the user places the open end of the catheter set on the lower piece, this will secure the position of the open end, and then the user covers the open end of the package with the upper piece. The open end of the package is now secured between the upper and the lower piece.

15 Figure 5 shows a sectional view of a package with the sealing device in a closed position.



CLAIMS

- A catheter set comprising a catheter and a package for storing of the catheter before use and for collecting or discharging urine wherein an elongated part of the package forms a tube for accommodation of the catheter, the catheter
 comprises a proximal part to be inserted into the urethra and a sealing part for providing a seal between the catheter and the elongated part of the package during use, CHARACTERISED IN that the catheter further comprises a distal part in the form of a tubular section having an inner diameter at least as large as the inner diameter of the proximal part of the catheter wherein the sealing part is separating the proximal part of the catheter and the tubular distal part, and wherein the length of the tubular distal part is at least long enough to occupy the elongated part of the package.
 - 2. A catheter set according to claim 1, CHARACTERISED IN that the proximal part of the catheter has a hydrophilic coating.
- 15 3. A catheter set according to claim 1 or 2, CHARACTERISED IN that the set comprises a wetting fluid integrated into the package.
 - 4 . A catheter set according to any of claims 1 3, CHARACTERISED IN that the tubular distal part of the catheter has an inner diameter larger than the inner diameter of the proximal part of the catheter.
- 5 . A catheter set according to any of claims 1 4 , CHARACTERISED IN that the tubular part is made from an extrudable, mouldable material such as a polyolefin such as polyethylene (PE) or polypropylene (PP) or a copolymer of polyethylene such as ethylene vinyl acetate (EVA) or polyvinyl chloride (PVC) or polyvinylidene chloride.
- 25 6 . A catheter set according any of claims 1 5 , CHARACTERISED IN that the tubular distal part of the catheter is transversely corrugated.



- 7. A catheter set according to any of claims 1 6, CHARACTERISED IN that the package has an elongated narrow part at the end where the catheter exits the package during use and preferably also a broader container part.
- 8 . A catheter set according to any of claims 1 7 , CHARACTERISED IN that
 5 the package is provided with one or more sealing devices on the exterior side of the package.
 - 9 . A catheter set according to claim 8 , CHARACTERISED IN that the sealing device comprises an adhesive sheet adhered to the package.



1/4




Fig. 1






Fig. 2



3/4





Fig. 5

Fig. 3

4/4



F 16, 4

International application No.

PCT/DK 99/00501

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A61M 25/01 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A61M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
WO 9726937 A1 (ASTRA AKTIEBOLAG), 31 July 1997 (31.07.97), page 10, line 1 - line 29; page 11, line 19 - page 12, line 9, figure 1	1-5,7
	
WO 9811932 A1 (COLOPLAST A/S), 26 March 1998 (26.03.98), page 14, line 18 - page 15, line 34; page 7, line 13 - line 19, figure 14	1-5,7
	7
GB 2284764 A (MMG (EUROPE) LTD), 21 June 1995 (21.06.95), page 2, line 47 - page 3, line 15; page 3, line 35 - line 46, figures 1,2, claims 1,2, 8,9, abstract	1,3~5
	WO 9726937 A1 (ASTRA AKTIEBOLAG), 31 July 1997 (31.07.97), page 10, line 1 - line 29; page 11, line 19 - page 12, line 9, figure 1 WO 9811932 A1 (COLOPLAST A/S), 26 March 1998 (26.03.98), page 14, line 18 - page 15, line 34; page 7, line 13 - line 19, figure 14 GB 2284764 A (MMG (EUROPE) LTD), 21 June 1995 (21.06.95), page 2, line 47 - page 3, line 15; page 3, line 35 - line 46, figures 1,2, claims 1,2,

X	Further documents are listed in the continuation of Box	к С.	See patent family annex.		
•	Special categories of cited documents:	Т.	later document published after the international filing date or pri- date and not in conflict with the application but cited to understa the principle or theory underlying the invention		
~A*	document defining the general state of the art which is not considered to be of particular relevance				
"E"	erlier document but published on or after the international filing date	"X"	document of particular relevance: the claimed invention cannot be		
LL.	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	considered novel or cannot be considered to involve an inventi- step when the document is taken alone			
	special reason (as specified)	"Y"			
.0.	document referring to an oral disclosure, use, exhibition or other means		considered to involve an inventive step when the document is combined with one or more other such documents, such combination		
"P"	document published prior to the international filing date but later than the priority date claimed		being obvious to a person skilled in the art		
		~&c*	document member of the same patent family		
Date	of the actual completion of the international search	Date of mailing of the international search report			
1 February 2000			18 -02- 2000		
Name and mailing address of the ISA;		Authorized officer			
Swedish Patent Office					
Box 5055, S-102 42 STOCKHOLM			Joni Sayeler/AE		

Telephone No.

+ 46 8 782 25 00

International application No.

PCT/DK 99/00501

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
	The second of the management of the relevant planagement	
4	US 2856932 A (J.J. GRIFFITTS), 21 October 1958	1-9
	(21.10.58), column 1, line 33 - column 2, line 57; column 3, line 16 - line 46, figures 2,7	
	coldini 5, The 10 - The 40, Tigures 2,7	
		
(US 5147341 A (STARKE ET AL.), 15 Sept 1992	1,4,5,7
	(15.09.92), column 2, line 43 - column 3, line 7,	
	figure 1	
		
、	GB 2033231 A (ILLINOIS TOOL WORKS INC.), 21 May	1
	1980 (21.05.80), page 2, line 15 - line 58, figure	
	1	
		
Ì		
İ		
1		
1		
1		

Information on patent family members

International application No.

02/12

02/12/99 | PCT/DK 99/00501

	atent document I in search repo		Publication date		Patent family member(s)	Publication date
WO	9726937	A1	31/07/97	AU	706432 B	17/06/99
				AU	15 62697 A	20/08/97
				UA	23 55 899 A	24/06/99
				AU	501 7596 A	02/10/96
				BR	97 07194 A	25/05/99
				CA	2241989 A	31/07/97
				CN	1213976 A	14/04/99
				CZ	98 02328 A	16/12/98
				EP	0815663 A	07/01/98
				HU	9 901019 A	30/08/99
				IL	125427 D	00/00/00
				JP	11502074 T	16/02/99
				JP	11504249 T	20/04/99
				NO	983406 A	24/09/98
				NZ	326930 A	23/12/98
				PL	327859 A	04/01/99
				SE	9600276 D	00/00/00
				SE	9 802435 A	14/09/98
0	9811932	A1	26/03/98	UA	710581 B	23/09/99
				AU	4295397 A	14/04/98
				CZ	9 90091 7 A	11/08/99
				DK	122496 A	19/03/98
				EP	0923398 A	23/06/99
				NO	991120 A	08/03/99
				PL	332545 A	13/09/99
				AU	710966 B	30/09/99
				AU	4295297 A	29/05/98
				EP	0935478 A	18/08/99
				NO	992029 A	28/04/99
				WO	9819729 A	14/05/98
В	2284764	Α	21/06/95	NONE		
s	2856932	Α	21/10/58	NONE		
 S	5147341	Α	15/09/92	AU	2586492 A	12/04/94
•	714/741	^	13/ V3/ 3L	CA	2126107 A	31/03/94
				EP	0613356 A	07/09/94
						31/03/94
				WO	9406377 A	31/03/44

Information on patent family members

02/12/99 PC

International application No. PCT/DK 99/00501

	atent document I in search report	Publication date		Patent family member(s)	Publication date
GB	2033231 A	21/05/80	AR	221739 A	13/03/81
			AT	670379 A	15/01/85
			AU	535310 B	15/03/84
]			AU	51 94 679 A	24/04/80
			BE	879467 A	18/04/80
			BR	7 906723 A	15/07/80
			CA	11 36 943 A	07/12/82
			CH	634998 A	15/03/83
			DE	2941336 A	30/04/80
			ES	485218 A	01/10/80
			FR	2446641 A,B	14/08/80
			IT	1123862 B	30/04/86
			IT	79 26 522 D	00/00/00
			JP	55058169 A	30/04/80
			NL	7 90742 3 A	22/04/80
			NO	146344 B	07/06/82
			NO	15 01 85 B	28/05/84
			NO	793364 A	22/04/80
			NO	820612 A	22/04/80
			NZ	191739 A	25/05/82
			SE	451300 B,C	28/09/87
			SE	7907733 A	09/05/80
			US	4230115 A	28/10/80
			ZA	7905020 A	24/06/81